AUTHOR INDEX

Abraham, K. M., 247, 313, 597
Al-Ali, A. Y., 611
Alamgir, M., 597
Alderson, J. E. A., 293
Anderman, M., 309
Andrukaitis, E., 475
Arakawa, M., 449
Asami, Y., 369
Atlung, S., 139
Attewell, A., 195

Bagotzky, V. S., 427
Bahary, B., 553
Balkanski, M., 615
Barberio, Y. L., 103
Beketayeva, L. A., 427
Bergman, G. M., 365
Besenhard, J. O., 409
Binder, M., 553
Bishenden, E. A., 475
Bittner, H. F., 441
Blomgren, G. E., 51
Brec, R., 319, 325
Bro, P., 223
Broussely, M., 201

Carsten, B., 607
Carter, B. J., 441
Chabre, Y., 273
Chang, H. S., 103
Chen, S. Y., 511
Cohen, R., 5, 423
Colbow, K. M., 301, 397
Corset, J., 439
Cousseins, J. C., 525
Crepy, G., 179
Cun-Mao Hong, 415

Dahn, J. R., 77, 301, 333, 397, 461
Dangjun Liu, 347
Danilin, V. V., 455
Daoud, M., 525
De Guibert, A., 571
de Kock, A., 355
Deligiannis, F., 211
Delnick, F. M., 129
Deniard, P., 273
de Picciotto, L. A., 355
Dequan Wang, 347
Dhamelincourt, M. C., 439
Dominey, L. A., 519
Donley, S. W., 441
Dubois, C., 571
Duclot, M. J., 381

Eckoldt, U., 563
Efrima, S., 5
Eichinger, G., 435
Elster, E., 5, 423
Emery, J. Y., 615

Fey, G. T. K., 511
Fong, R., 333
Foster, D., 553
Fouache, S., 593
Fujiwara, M., 467
Furukawa, N., 389

Garreau, M., 593
Geronov, Y., 585
Gibbard, H. F., 81
Gilman, S., 553
Giovannoni, R. T., 309
Goldenfeld, N., 121
Goldman, J. L., 519
Goodenough, J. B., 277, 403
Gorenshtein, A., 269
Gorodyskii, A. V., 455
Gushev, A., 285

Haering, R. R., 1, 301, 397
Halpert, G., 211
Hamwi, A., 525
Harvey, P. E., 23
Hirai, T., 449
Holleck, G. L., 313
Holmes, C. F., 185
Hsien-Wen Ko, 419, 557
Hsing-Yaw Hu, 419
Huei-Mei Tsai, 557
Huggins, R. A., 109

Ichikawa, T., 535
Ikeda, H., 389
Imanishi, N., 467
Inomata, S., 369
Ismail, M. I., 611

Jacobs, P. W. M., 475, 483, 503
Jacobsen, T., 341
James, A. C. W. P., 277
Johnson, S. L., 309
Jones, C. H. W., 333
Jow, T. R., 93
Julien, C., 615

Kanamura, K., 467
Kanevsky, L. S., 427
Kanno, R., 535
Kaun, T. D., 37
Kazarinov, V. E., 427
Ke Ma, 415
Kilroy, W. P., 597
Kimel, J., 5
Kitada, Y., 373
Koch, V. R., 519
Kuksenko, S. P., 455

Lee, T. J., 511
Le Méhauté, A. R. P., 179
Levy, M., 381
Levy, S. C., 223
Lorimer, J. W., 475, 483, 491, 503
Lundquist, J. T., 309

Manev, V., 285, 603
Manthiram, A., 403
Marsh, R. A., 243
Matsuda, Y., 573, 579
Matsuki, K., 373
Maxfield, M., 93
McKinnon, W. R., 77
Mermoux, M., 529
Mindjov, K., 603

© Elsevier Sequoia/Printed in The Netherlands

Misailidis, N., 409
Mitate, T., 545
Mohri, M., 545
Morita, M., 573, 579
Moshtev, R., 285
Murray, J. J., 293

Nakajima, S., 545
Nakanishi, K., 535
Nassalevska, A., 285, 603
Nguyen, T., 313
Nohma, T., 389

Ogumi, Z., 457
Ouvrard, G., 319, 325

Pasquali, M., 585
Pasquariello, D. M., 247, 313
Peled, E., 5, 269, 423
Pistoia, G., 285, 355, 585
Prouzet, E., 319, 325
Puresheva, B., 585

Quinzio, M. V., 441

Rahner, D., 563
Redey, L., 37
Rousseau, F., 381
Russer, A., 483, 503

Saito, T., 389
Salomon, M., 9
Sazhin, S. V., 455
Schlaikjer, C. R., 161
Schleich, D. M., 103
Schwake, M., 409
Schwartz, D. A., 247, 313
Segal, M., 269
Semrau, G., 435
Sewchok, M. G., 93
Shacklette, L. W., 93
Shen, D. H., 211
Skaarup, S., 341
Souquet, J. L., 33
Staikov, G., 603
Sternberg, Y., 269
Stiles, J. A. R., 233
Stinebring, R. C., 185
Subbarao, S., 211
Sugawara, M., 373
Suzuki, S., 369
Suzuki, T., 545

Tajima, Y., 545
Takeda, Y., 535
Takehara, Z., 257, 457, 467
Takeuchi, E. S., 365
Tanaka, H., 545
Teraoka, H., 369
Thackeray, M. M., 355
Thevenin, J., 571, 593
Tobishima, S., 449
Touzain, Ph., 529
Trumbore, F. A., 65

Uchimoto, Y., 457

Vallin, D., 201
Visbisky, M., 185
Vissers, D. R., 37
Vol'fkovich, Yu. M., 427
von Sacken, U., 461

Wada, H., 545
Wallart, F., 439
Wasiucionek, M., 483, 503
Wen-Zhi Yang, 415
West, K., 139, 341
Wiesener, K., 563

Xikang Feng, 347

Yamaki, J., 449
Yamamoto, O., 535
Yanagisawa, N., 545
Yao, P. C., 511
Yazami, R., 273
Yoshida, M., 545
Yoshimoto, Y., 545

Zachau-Christiansen, B., 341
Zhenjiang Liao, 347
Zlatilova, P., 585

SUBJECT INDEX

A.c. impedance studies
on Li passivating layer of Li–$SOCl_2$ cell, 419
Alloy/conducting-polymer
composite electrodes; electrolytes, cathodes, and morphology, 93
Alloying substrates
effects of, on characteristics of Li negative electrode, 573
Alloys
materials science principles related to, of potential use in rechargeable Li cells, 109
Aluminum
electrochemical behaviour of Ca in $Ba(AlCl_4)_2$ and $Sr(AlCl_4)_2$–thionyl chloride solutions; SEI electrodes, 423
$LiAlCl_4$–SO_2 electrolyte, electrochemical studies of P3-MT electrodes in, 553
Li/MoS_2 and Li,Al/FeS cells, precision cycling and Coulombic efficiency measurements on, 293
Aprotic solvents
electrolyte solvation in, 9
Arsenic
stabilization of $LiAsF_6$/1,3-dioxolane for use in rechargeable Li batteries, 519

Barium
electrochemical behaviour of Ca in $Ba(AlCl_4)_2$ and $Sr(AlCl_4)_2$–thionyl chloride solutions; SEI electrodes, 423
Battery dry room facility
relationship between dry room parameters and moisture control unit, 603
Battery performances
fractal analysis of, 179

Calcium
electrochemical behaviour of, in $Ba(AlCl_4)_2$ and $Sr(AlCl_4)_2$–thionyl chloride solutions; SEI electrodes, 423
Carbon
electrodes, macrokinetic study of thionyl chloride reduction on porous, 427
as negative electrode, rechargeable Li battery based on pyrolytic, 545
as negative electrodes in Li secondary cells, 535
Catalysts
for Li/$SOCl_2$ cells, advanced, 597
Cathode(s)
alloy/conducting-polymer composite electrodes, 93
Li intercalation, modified Cr oxides for high-rate, 409
Mo trisulfide thin film, prepared by chemical vapor deposition, 103
pyrite-based, for ambient temperature Li batteries by *in situ* ^{57}Fe Mössbauer spectroscopy, 333
V_2O_5-based glasses as, for Li batteries, 381
Cathode active materials
molybdic oxides as, in secondary Li batteries, 373
Cathode batteries
advances in primary Li liquid, 51
Cathode material(s)
chemically desodiated thiochromites as, in secondary Li cells, 285
new class of reversible; defect thiospinels, 277
Cathodic material
all-solid-state battery using graphite oxide as active, 529
Charge-transfer reactions
kinetics of, on passive Li electrodes, 129
Chemical vapor deposition
Mo trisulfide thin film cathodes prepared by, 103
Chromium oxides
modified, for high-rate Li intercalation cathodes, 409
Composite dimensional manganese oxide (CDMO)
Mn oxides for Li secondary battery, 389

© Elsevier Sequoia/Printed in The Netherlands

Conductivity
phase relations and, in system poly(ethylene oxide)–$LiClO_4$, 503
Coulombic efficiency measurements
on Li/MoS_2 and Li,Al/FeS cells, precision cycling and, 293
Cycleability
of Li electrodes, problems of, 563
Cycling
behaviour of Li electrode during, in nonaqueous solutions, 585
precision, and Coulombic efficiency measurements on Li/MoS_2 and Li,Al/FeS cells, 293

d.c. pulse
transient response to heat and; evaluation of Li cell materials, 611
Defect thiospinels
new class of reversible cathode material, 277
Dendritic growth
dynamics of, 121
1,3-Dioxolane
stabilization of $LiAsF_6$/, for use in rechargeable Li batteries, 519
Discharge and charge characteristics
of FeOCl modified by organic compound, 467
Dry room parameters
battery dry room facility; relationship between, and moisture control unit, 603
Dynamics
of dendritic growtn, 121

Electrical properties
of P2VP·nI_2 complexes, 557
Electrochemical behaviour
of Ca in $Ba(AlCl_4)_2$ and $Sr(AlCl_4)_2$–thionyl chloride solutions; SEI electrodes, 423
Electrochemical investigation
of temperature dependence of inorganic electrolytes in rechargeable Li batteries, 511
Electrochemical studies
of P3-MT electrodes in $LiAlCl_4$–SO_2 electrolyte, 553
Electrochemistry
of spinel oxides $LiTi_2O_4$ and $Li_{4/3}Ti_{5/3}O_4$, structure and, 397
Electrode(s)
alloy/conducting-polymer composite; electrolytes, cathodes, and morphology, 93
C as negative, in Li secondary cells, 535
Li, kinetics of charge-transfer reactions on passive, 129
Li negative, effects of alloying substrates on characteristics of, 573
Li, problems of cycleability of, 563
P3-MT, in $LiAlCl_4$–SO_2 electrolyte, electrochemical studies of, 553
porous C, macrokinetic study of thionyl chloride reduction on, 427
porous insertion, kinetics of, 139
pyrolytic C as negative, rechargeable Li battery based on, 545
solid electrolyte interphase (SEI); electrochemical behaviour of Ca in $Ba(AlCl_4)_2$ and $Sr(AlCl_4)_2$–thionyl chloride solutions, 423
Electrode impedance spectroscopy
properties of Li surface layers in aprotic organic electrolytes, study by, 571
Electrode material(s)
glasses as electrolytes and, in Li batteries, 33
graphite fluorides as, in Li batteries, new, 525
Nb triselenide, unique rechargeable positive, 65
Electrode properties
of Zr diselenide in Li/polymer electrolyte batteries, effect of non-stoichiometry on, 273
Electrode surface
micro-Raman study of, in $Li/SOCl_2$ cells, 439
Electrolyte(s)
alloy/conducting-polymer composite electrodes, 93
aprotic organic, properties of Li surface layers in, by electrode impedance spectroscopy, 571
ethylene carbonate-based, for rechargeable Li batteries, 449
glasses as, and electrode materials in Li batteries, 33
$LiAlCl_4$–SO_2, electrochemical studies of P3-MT electrodes in, 553
liquid or polymeric, non-equilibrium thermodynamics of transport and reaction in Li cells with; application to impedance analysis, 491
molten salt, for high-temperature Li cells, 37
organic additives for, of rechargeable Li batteries, 579

polymer, 23
$SoCl_2$, NMR spectra of H-species in, 415
sulfolane-based, properties of surface layers formed on Li electrodes in, 593
Electrolyte solvation
in aprotic solvents, 9
Ethylene carbonate
-based electrolytes for rechargeable Li batteries, 449
EXAFS
redox processes in Li_xFeS_2/Li electrochemical system studied through crystal, Mössbauer and, 325

Fire
behaviour of Li batteries in, 195
Fractal analysis
of battery performances, 179

Glasses
as electrolytes and electrode materials in Li batteries, 33
V_2O_5-based, as cathodes for Li batteries, 381
Graphite fluorides
as electrode materials in Li batteries, new, 525
Graphite oxide
as active cathodic material, all-solid-state battery using, 529

High temperature
high pulse power Li batteries, 81
Li cells, molten salt electrolytes for, 37
H-species
NMR spectra of, in $SOCl_2$ electrolytes, 415

IC cards
ultra-thin Mn dioxide–Li battery for multifunctional, 369
Impedance analysis
non-equlibrium thermodynamics of transport and reaction in Li cells with liquid or polymeric electrolytes; application to, 491
Impedance studies
on system $LiClO_4$–MEEP, 483
Incorporation reaction
of Li into V_6O_{13} in rechargeable Li battery, 347
Inorganic electrolytes
in rechargeable Li batteries, electrochemical investigation of temperature dependence of, 511
Iodine
electrical properties of P2VP·nI_2 complexes, 557
Iron
discharge and charge characteristics of FeOCl modified by an organic compound, 467
Li insertion into $Fe_2(SO_4)_3$ frameworks, 403
Li/MoS_2 and Li,Al/FeS cells, precision cycling and Coulombic efficiency measurements on, 293
Redox processes in Li_xFeS_2/Li electrochemical system studied through crystal, Mössbauer, and EXAFS analyses, 325

Japan
development of Li rechargeable batteries, 257

Kinetics
of charge-transfer reactions on passive Li electrodes, 129
of porous insertion electrodes, 139
of reduction of thionyl chloride, 161

Lithium
advances in primary Li liquid cathode batteries, 51
Ag–V oxide multiplate battery, voltage delay and complex impedance characteristics of high-rate, 365
electrochemical studies of P3-MT electrodes in $LiAlCl_4$–SO_2 electrolyte, 553
impedance studies on system $LiClO_4$–MEEP, 483
incorporation reaction of Li into V_6O_{13} in rechargeable Li battery, 347
Mn dioxide–, battery for multifunctional IC cards, ultrathin, 369
phase relations and conductivity in system poly(ethylene oxide)–$LiClO_4$, 503
/polymer electrolyte batteries, effect of non-stoichiometry on electrode properties of Zr diselenide in, 273

precision cycling and Coulombic efficiency measurements on Li/MoS_2 and Li,Al/FeS cells, 293
Redox processes in Li_xFeS_2/Li electrochemical system studied through crystal, Mössbauer, and EXAFS analyses, 325
3R phase of Li_xTiS_2, 301
–S battery, rechargeable, 269
–$SOCl_2$ cell(s)
a.c. impedance studies on Li passivating layer of, 419
advanced catalysts for, 597
low temperature testing of, 211
micro-Raman study of electrode surface in, 439
reserve type, 435
wound-type cells, safety test results of, 201
/$SOCl_2$ couple, thermodynamic measurements on, 441
solid-state microbatteries, integrable, 615
stabilization of $LiAsF_6$/1,3-dioxolane for use in rechargeable Li batteries, 519
structure and electrochemistry of spinel oxides $LiTi_2O_4$ and $Li_{4/3}Ti_{5/3}O_4$, 397
synthesis and characterization of γ-MnO_2 from $LiMn_2O_4$, 355
–Ti disulphide cells of spirally-wound design, rechargeable, 309
/Ti disulphide secondary battery, 313
Lithium battery(ies)
all-solid-state; preparation and characterization of thin film of polymer electrolyte by plasma CVD, 457
based on pyrolytic C as negative electrode, rechargeable, 545
behaviour of, in fire, 195
behaviour of rechargeable, 77
electrochemical investigation of temperature dependence of inorganic electrolytes in rechargeable, 511
ethylene carbonate-based electrolytes for rechargeable, 449
glasses as electrolytes and electrode materials in, 33
graphite fluorides as electrode materials in, new, 525
high temperature, high pulse power, 81
incorporation reaction of Li into V_6O_{13} in rechargeable, 347
military applications of, 243
Mn oxides for secondary; composite dimensional Mn oxide (CDMO), 389
molybdic oxides as cathode active materials in secondary, 373
new rechargeable, 233
organic additives for electrolytes of rechargeable, 579
practical rechargeable, 247
pyrite-based cathodes for ambient temperature, by *in situ* ^{57}Fe Mössbauer spectroscopy, 333
rechargeable, development of, in Japan, 257
reliability of implantable, 185
stabilization of $LiAsF_6$/1,3-dioxolane for use in rechargeable, 519
V_2O_5-based glasses as cathodes for, 381
Lithium battery systems
compatible power converters for, 607
Lithium cell(s)
C as negative electrodes in Li secondary cells, 535
chemically desodiated thiochromites as cathode materials in secondary, 285
with liquid or polymeric electrolytes, non-equilibrium thermodynamics of transport and reaction in; application to impedance analysis, 491
materials science principles related to alloys of potential use in rechargeable, 109
molten salt electrolytes for high-temperature, 37
reliability analysis of, 223
solid-state Na cells; alternative to, 341
Lithium cell materials
transient response to heat and d.c. pulse, 611
Lithium corrosion
effect of Na cation on, in aprotic media, 455
Lithium electrode(s)
behaviour of, during cycling in non-aqueous solutions, 585
cycleability of, problems of, 563
kinetics of charge-transfer reactions on passive, 129

properties of surface layers formed on, in sulfolane-based electrolytes, 593
Lithium insertion
into $Fe_2(SO_4)_3$ frameworks, 403
into oriented microcrystals and gels of anhydrous and hydrated V pentoxide, 475
Lithium intercalation cathodes
modified Cr oxides for high-rate, 409
Lithium negative electrode
effects of alloying substrates on characteristics of, 573
Lithium surface layers
in aprotic organic electrolytes, properties of, by electrode impedance spectroscopy, 571
Low temperature testing
of Li–$SOCl_2$ cells, 211

Macrokinetic study
of thionyl chloride reduction on porous C electrodes, 427
Manganese
synthesis and characterization of γ-MnO_2 from $LiMn_2O_4$, 355
Manganese dioxide
–Li battery for multifunctional IC cards, ultra-thin, 369
Manganese oxides
for Li secondary battery; composite dimensional Mn oxide (CDMO), 389
Materials science principles
related to alloys of potential use in rechargeable Li cells, 109
MEEP
$LiClO_4$–, impedance studies on system, 483
Microbatteries
integrable Li solid-state, 615
Micro-Raman study
of electrode surface in Li/$SOCl_2$ cells, 439
Military applications
of Li batteries, 243
Moisture control unit
battery dry room facility; relationship between dry room parameters and, 603
Molten salt electrolytes
for high-temperature Li cells, 37
Molybdenum
Li/MoS_2 and Li,Al/FeS cells, precision cycling and Coulombic efficiency measurements on, 293
Molybdenum trisulfide
thin film cathodes prepared by chemical vapor deposition, 103
Molybdic oxides
as cathode active materials in secondary Li batteries, 373
Mössbauer spectroscopy
pyrite-based cathodes for ambient temperature Li batteries by *in situ* ^{57}Fe, 333
Mössbauer study
Redox processes in Li_xFeS_2/Li electrochemical system, 325
Multiplate battery
Li/Ag–V oxide, voltage delay and complex impedance characteristics of high-rate, 365

Negative electrodes
carbon as, in Li secondary cells, 535
Nickel hexathiodiphosphate
properties of amorphous $Ni_2P_2S_6$, 319
Niobium triselenide
unique rechargeable positive electrode material, 65
NMR spectra
of H-species in $SOCl_2$ electrolytes, 415

Organic additives
for electrolytes of rechargeable Li batteries, 579
Organic compound
discharge and charge characteristics of FeOCl modified by, 467
Organic electrolytes
properties of Li surface layers in aprotic, by electrode impedance spectroscopy, 571

Phase relations
and conductivity in system poly(ethylene oxide)–$LiClO_4$, 503
Plasma CVD
preparation and characterization of thin film of polymer electrolyte by; all-solid-state Li batteries, 457
P3-MT electrodes
in $LiAlCl_4$–SO_2 electrolyte, electrochemical studies of, 553
Poly(ethylene oxide)–$LiClO_4$
phase relations and conductivity in system, 503
Polymer electrolytes, 23

Li/, batteries, effect of non-stoichiometry on electrode properties of Zr diselenide in, 273
preparation and characterization of thin film of, by plasma CVD; all-solid-state Li batteries, 457
Porous insertion electrodes
kinetics of, 139
Power converters
for Li battery systems, compatible, 607
P2VP·nI_2 complexes
electrical properties of, 557
Pyrite-based cathodes
for ambient temperature Li batteries by *in situ* ^{57}Fe Mössbauer spectroscopy, 333
Pyrolytic carbon
as negative electrode, rechargeable Li battery based on, 545

Rechargeable lithium battery(ies)
based on pyrolytic C as negative electrode, 545
behaviour of, understanding, 77
development of, in Japan, 257
electrochemical investigation of temperature dependence of inorganic electrolytes in, 511
ethylene carbonate-based electrolytes for, 449
incorporation reaction of Li into V_6O_{13} in, 347
new, 233
organic additives for electrolytes of, 579
practical, 247
stabilization of $LiAsF_6$/1,3-dioxolane for use in, 519
Rechargeable Li–S battery, 269
Redox processes
in Li_xFeS_2/Li electrochemical system studied through crystal, Mössbauer, and EXAFS analyses, 325
Reliability
of implantable Li batteries, 185
Reliability analysis
of Li cells, 223

Safety test results
of Li–thionyl chloride wound-type cells, 201
Silver
Li/Ag–V oxide multiplate battery, voltage delay and complex impedance characteristics of high-rate, 365
Sodium cation
effect of, on Li corrosion in aprotic media, 455
Sodium cells
solid-state; alternative to Li cells, 341
Spinel oxides
$LiTi_2O_4$ and $Li_{4/3}Ti_{5/3}O_4$, structure and electrochemistry of, 397
Strontium
electrochemical behaviour of Ca in $Ba(AlCl_4)_2$ and $Sr(AlCl_4)_2$–thionyl chloride solutions; SEI electrodes, 423
Structure
of spinel oxides $LiTi_2O_4$ and $Li_{4/3}Ti_{5/3}O_4$, 397
Sulfolane-based electrolytes
properties of surface layers formed on Li electrodes in, 593
Sulfur
rechargeable Li–S battery, 269
Surface layers
formed on Li electrodes in sulfolane-based electrolytes, properties of, 593

Temperature dependence
of inorganic electrolytes in rechargeable Li batteries, electrochemical investigation, 511
TGA/MS studies
of thermal decomposition of NH_4VO_3, 461
Thermal decomposition
of NH_4VO_3, TGA/MS studies of, 461
Thermodynamic measurements
on Li/$SOCl_2$ couple, 441
Thermodynamics
non-equilibrium, of transport and reaction in Li cells with liquid or polymeric electrolytes; application to impedance analysis, 491
Thiochromites
chemically desodiated, as cathode materials in secondary Li cells, 285
Thionyl chloride
electrochemical behaviour of Ca in $Ba(AlCl_4)_2$ and $Sr(AlCl_4)_2$–thionyl chloride solutions; SEI electrodes, 423
electrolytes, NMR spectra of H-species in, 415
kinetics of reduction of, 161

Li–$SOCl_2$ cell(s)
a.c. impedance studies on Li passivating layer of, 419
advanced catalysts for, 597
low temperature testing of, 211
micro-Raman study of electrode surface in, 439
reserve type, 435
wound-type cells, safety test results of, 201
thermodynamic measurements on $Li/SOCl_2$ couple, 441
Thionyl chloride reduction
on porous C electrodes, macrokinetic study, 427
Thionyl chloride solutions
properties of, 5
Thiospinels
defect; new class of reversible cathode material, 277
Titanium
Li_xTiS_2, 3R phase of, 301
structure and electrochemistry of spinel oxides $LiTi_2O_4$ and $Li_{4/3}Ti_{5/3}O_4$, 397
Titanium disulphide
Li/, secondary battery, 313
rechargeable Li–, cells of spirally-wound design, 309
Vanadium
incorporation reaction of Li into V_6O_{13} in rechargeable Li battery, 347
Li/Ag–V oxide multiplate battery, voltage delay and complex impedance characteristics of high-rate, 365
TGA/MS studies of thermal decomposition of NH_4VO_3, 461
V_2O_5-based glasses as cathodes for Li batteries, 381
Vanadium pentoxide
Li insertion into oriented microcrystals and gels of anhydrous and hydrated, 475
Voltage delay
and complex impedance characteristics of high-rate Li/Ag–V oxide multiplate battery, 365

Wound-type cells
Li–thionyl chloride, safety test results of, 201

Zirconium diselenide
effect of non-stoichiometry on electrode properties of, in Li/polymer electrolyte batteries, 273